SENSORS AND ACTUATORS VOLUME B1, NUMBERS 1–6 JANUARY 1990

Contents

Patronage, Sponsoring Societies and Committees xv

Invited Papers

Biosensors: adaptation for practical use 1
P. Vadgama (Salford, U.K.)

Multiple ion sensor array. 8
I. Igarashi, T. Ito, T. Taguchi, O. Tabata and H. Inagaki (Aichi, Japan)

GasFETS

Catalytic metals and field-effect devices – a useful combination. 15
I. Lundström, A. Spetz, F. Winquist, U. Ackelid and H. Sundgren (Linköping, Sweden)

Recognition of hydrogen and ammonia by modified gate metallization of the suspended-gate FET 21
M. Peschke, H. Lorenz, H. Riess and I. Eisele (Neubiberg, F.R.G.)

New method for achieving very high sensitivities of MOSFET gas sensors 25
K. Dobos, W. Mokwa, Y. Zhang, H.-G. Dura and G. Zimmer (Duisburg, F.R.G.)

Experimental studies of the lateral transport of hydrogen in thin palladium gates of hydrogen-sensitive field-effect transistors. 31
F. Enquist (Linköping, Sweden)

A novel structure for detecting organic vapours and hydrocarbons based on a Pd-MOS sensor 35
W. Hornik (Munich, F.R.G.)

Gas Sensors

Sensor array and catalytic filament for chemical analysis of vapors and mixtures 43
J. R. Stetter, M. W. Findlay, G. J. Maclay (Naperville, IL, U.S.A.), J. Zhang (Chicago, IL, U.S.A.), S. Vaihinger and W. Göpel (Tübingen, F.R.G.)

Basic limitations for an electronic nose 48
H. V. Shurmer (Coventry, U.K.)

Analysis of combustible gases in air with calorimetric gas sensors based on semiconducting $BaTiO_3$ ceramics 54
J. Riegel and K. H. Härdtl (Karlsruhe, F.R.G.)

A novel readout technique for capacitive gas sensors 58
U. Schoeneberg, B. J. Hosticka, G. Zimmer (Duisburg, F.R.G.) and G. J. Maclay (Chicago, IL, U.S.A.)

A restricted flow thermally cycled gas sensor 62
W. M. Sears, K. Colbow (Burnaby, B.C., Canada), R. Slamka and F. Consadori (Vancouver, B.C., Canada)

Freon and halogenated hydrocarbon detection with electrochemical sensors. 68
H. Komiya and S. Kimura (Tokyo, Japan)

Effect of water vapour on the CO response behaviour of tin dioxide sensors in constant temperature and temperature-pulsed modes of operation 73
P. Romppainen, V. Lantto and S. Leppävuori (Oulu, Finland)

Response to nitric oxide of thin and thick SnO_2 films containing trivalent additives. 79
G. Sberveglieri, S. Groppelli, P. Nelli (Brescia, Italy), V. Lantto, H. Torvela, P. Romppainen and S. Leppävuori (Oulu, Finland)

Characterization of a combustion process using catalysed tin oxide gas sensors to detect CO from emission gases 83
H. Torvela, A. Harkoma-Mattila and S. Leppävuori (Oulu, Finland)

© Elsevier Sequoia/Printed in The Netherlands

Integrated semiconductor gas sensors evaluation with an automatic test system 87
V. Demarne, A. Grisel (Neuchâtel, Switzerland), R. Sanjines and F. Lévy (Lausanne, Switzerland)

Pattern recognition methods for gas mixture analysis: application to sensor arrays based upon SnO_2 93
U. Weimar, K. D. Schierbaum, W. Göpel (Tübingen, F.R.G.) and R. Kowalkowski (Neuchâtel, Switzerland)

Model studies of SnO_2-based gas sensors: vacancy defects and Pd additive effects 97
S. Semancik and T. B. Fryberger (Gaithersburg, MD, U.S.A.)

Low and high temperature TiO_2 oxygen sensors 103
U. Kirner, K. D. Schierbaum, W. Göpel (Tübingen, F.R.G.), B. Leibold, N. Nicoloso, W. Weppner (Stuttgart, F.R.G.), D. Fischer and W. F. Chu (Frankfurt, F.R.G.)

Trimethylamine sensor based on semiconductive metal oxides for detection of fish freshness 108
M. Egashira, Y. Shimizu and Y. Takao (Nagasaki, Japan)

A selective ammonia sensor 113
P. T. Moseley and D. E. Williams (Didcot, U.K.)

The mechanism of operation of WO_3-based H_2S sensors 116
E. P. S. Barrett, G. C. Georgiades and P. A. Sermon (Uxbridge, U.K.)

A new hydrogen sensor with pellicular Zr phosphate as proton conductor 121
L. De Angelis, A. Maimone, L. Modica (Rome, Italy), G. Alberti and R. Palombari (Perugia, Italy)

Cordless solid-state hydrogen sensor using proton-conductor thick film 125
N. Miura, T. Harada, Y. Shimizu and N. Yamazoe (Fukuoka-ken, Japan)

Study of the action of gases on a polypyrrole film 130
J. P. Blanc, N. Derouiche, A. El Hadri, J. P. Germain, C. Maleysson and H. Robert (Aubière, France)

Thin films of phthalocyanines studied with spectroscopic ellipsometry: an optical gas sensor? 134
J. Mårtensson, H. Arwin and I. Lundström (Linköping, Sweden)

Phthalocyanine Langmuir–Blodgett film microsensors for halogen gases 138
H. Y. Wang, W. H. Ko, D. A. Batzel, M. E. Kenney and J. B. Lando (Cleveland, OH, U.S.A.)

Gas and humidity sensors based on organic active thin films 142
C. Hamann, G. Kampfrath and M. Mueller (Karl-Marx-Stadt, G.D.R.)

Fast NO_2 detection at room temperature with optimized lead phthalocyanine thin-film structures. 148
Y. Sadaoka (Matsuyama, Japan), T. A. Jones (Sheffield, U.K.) and W. Göpel (Tübingen, F.R.G.)

Optical detection of nitrogen monoxide by metal porphine dispersed in an amorphous silica matrix. 154
K. Eguchi, T. Hashiguchi, K. Sumiyoshi and H. Arai (Fukuoka, Japan)

The role of noble metals in the chemistry of solid-state gas sensors 158
D. Kohl (Aachen, F.R.G.)

A non-linear diffusion-reaction model of electrical conduction in semiconductor gas sensors 166
J. W. Gardner (Coventry, U.K.)

Prototype structure for systematic investigations of thin-film gas sensors 171
K. D. Schierbaum, S. Vaihinger, W. Göpel (Tübingen, F.R.G.), H. H. van den Vlekkert, B. Kloeck and N. F. de Rooij (Neuchâtel, Switzerland)

Some aspects of the interaction of oxygen with polycrystalline SnO_x thin films 176
R. Sanjines, F. Lévy (Lausanne, Switzerland), V. Demarne and A. Grisel (Neuchâtel, Switzerland)

Micro-gas sensor for monitoring anesthetic agents 183
Q. Wu and W. H. Ko (Cleveland, OH, U.S.A.)

Investigations of electrodes for oxygen sensors based on lanthanum trifluoride as solid electrolyte 188
S. Harke, H.-D. Wiemhöfer and W. Göpel (Tübingen, F.R.G.)

A LaF_3-based oxygen sensor with perovskite-type oxide electrode operative at room temperature. 195
J. P. Lukaszewicz (Torun, Poland), N. Miura and N. Yamazoe (Fukuoka, Japan)

Evaluation of the $Gd_2(Zr_xTi_{1-x})_2O_7$ pyrochlore system as an oxygen gas sensor 199
P. K. Moon and H. L. Tuller (Cambridge, MA, U.S.A.)

Development of zirconia electrolyte sensor with auxiliary electrode for the *in situ* measurement of dissolved silicon in molten iron. 203
T. Okimura, K. Fukui and S. Maruhashi (Hiroshima, Japan)

Semiconductor method of determining oxygen microconcentrations in different gases 210
E. Ye. Gutman and I. A. Myasnikov (Moscow, U.S.S.R.)

Optical sensing technique for *in situ* determination of gas components at elevated temperature by infrared spectroscopy. 215
M. Maeda, N. Takahashi and Y. Kuwano (Tokyo, Japan)

Carbon monoxide gas detector with shortened detecting cycle 218
T. Oyabu, Y. Matuura (Osaka, Japan) and R. Murai (Kanazawa, Japan)

Thin films of supported gold catalysts for CO detection 222
T. Kobayashi, M. Haruta, S. Tsubota, H. Sano (Ikeda, Japan) and B. Delmon (Louvain-la-Neuve, Belgium)

A fire detection experiment in a wooden house by SnO_2 semiconductor gas sensors. 226
T. Amamoto, K. Tanaka, K. Takahata, S. Matsuura and T. Seiyama (Osaka, Japan)

Thick-film hydrocarbon gas sensors. 231
Duk-Dong Lee (Taegu, Korea) and Dong-Han Choi (Chongju, Korea)

Chemical Sensors

The use of chemical sensors in industry 239
N. Graber, H. Lüdi and H. M. Widmer (Basel, Switzerland)

Miniaturized total chemical analysis systems: a novel concept for chemical sensing 244
A. Manz, N. Graber and H. M. Widmer (Basel, Switzerland)

Design of an open-tubular column liquid chromatograph using silicon chip technology 249
A. Manz, Y. Miyahara, J. Miura, Y. Watanabe, H. Miyagi and K. Sato (Tokyo, Japan)

Intelligent vapour discrimination using a composite 12-element sensor array. 256
H. V. Shurmer, J. W. Gardner and P. Corcoran (Coventry, U.K.)

The photoelectric aerosol sensor array as a tool for on line and *in situ* analysis of heavy metal aerosols. 261
R. Niessner, B. Hemmerich and U. Panne (Dortmund, F.R.G.)

Potassium impregnated tube ion-selective electrodes (KITISE). 267
E. Fogt, J. Kelley, J. Lund, M. S. Norenberg and M. Schwinghammer (Brooklyn Center, MN, U.S.A.)

Thin-film ion-selective sensors based on neutral carrier membranes 272
F. Keplinger, R. Glatz, A. Jachimowicz, G. Urban, F. Kohl, F. Olcaytug (Vienna, Austria) and O. J. Prohaska (Cleveland, OH, U.S.A.)

A novel spectroscopic method to image H_2O distribution in ion-selective membranes 275
X. Li, S. Petrović and D. J. Harrison (Edmonton, Alta., Canada)

Polyimide-matrix chemical-selective membranes 281
Geun Sig Cha and R. B. Brown (Ann Arbor, MI, U.S.A.)

Solid potentiometric pH electrode 286
K.-D. Kreuer (Stuttgart, F.R.G.)

Mechanistic and response studies of iridium oxide pH sensors 293
M. J. Tarlov, S. Semancik and K. G. Kreider (Gaithersburg, MD, U.S.A.)

A smart sensor for the voltammetric measurement of oxygen or glucose concentrations 298
W. Sansen, D. de Wachter, L. Callewaert, M. Lambrechts and A. Claes (Heverlee, Belgium)

An integrated amperometric microsensor 303
W. J. Buttner (Argonne, IL, U.S.A.),G. J. Maclay (Chicago, IL, U.S.A.) and J. R. Stetter (Naperville, IL, U.S.A.)

Raindrop sensor using electric double layers 308
H. Kato and T. Matsuki (Aichi, Japan)

Limiting current type of oxygen sensor with high performance 312
A. Asada, H. Yamamoto, M. Nakazawa and H. Osanai (Tokyo, Japan)

Planar microelectrochemical carbon monoxide sensors 319
T. Otagawa, M. Madou, S. Wing, J. Rich-Alexander (Menlo Park, CA, U.S.A.), S. Kusanagi, T. Fujioka and A. Yasuda (Osaka, Japan)

Chemically actuated electronic switch 326
G. G. Neuburger and P. C. Warren (Red Bank, NJ, U.S.A.)

ISFETs

Technology for backside contacted pH-sensitive ISFETs embedded in a p-well structure 335
D. Ewald, A. van den Berg and A. Grisel (Neuchâtel, Switzerland)

A backside contact ISFTET with a silicon–insulator–silicon structure 341
T. Sakai, I. Amemiya, S. Uno and M. Katsura (Kawasaki, Japan)

Microstructured solid-state ion-sensitive membranes by thermal oxidation of Ta 345
P. Gimmel, K. D. Schierbaum, W. Göpel (Tübingen, F.R.G.), H. H. van den Vlekkert and N. F. de Rooij (Neuchâtel, Switzerland)

Photoelectric effects in Ta_2O_5–SiO_2–Si structures 350
J. A. Voorthuyzen and P. Bergveld (Enschede, The Netherlands)

Characterization of ion-sensitive layer systems with a $C(V)$ measurement method operating at constant capacitance. 354
M. Klein (Ulm/Donau, F.R.G.)

Investigation of pH-sensitive ISFETs with oxide and nitride membranes using colloid chemistry methods 357
Y. Vlasov, A. Bratov, M. Sidorova and Y. Tarantov (Leningrad, U.S.S.R.)

Time-dependence of the chemical response of silicon nitride surfaces 361
L. Bousse, D. Hafeman and N. Tran (Menlo Park, CA, U.S.A.)

Competitive immunological detection of progesterone by means of the ion-step induced response of an immunoFET. 368
R. B. M. Schasfoort, C. E. J. M. Keldermans, R. P. H. Kooyman, P. Bergveld and J. Greve (Enschede, The Netherlands)

Detection of cell activity via ISFET devices: modelling and computer simulations 373
A. Cambiaso, M. Grattarola, G. Arnaldi, S. Martinoia and G. Massobrio (Genoa, Italy)

A generalized theory of an Ag^+-sensitive electrolyte–insulator–semiconductor field-effect transistor with silica surface modified by chemical grafting 380
H. Perrot, N. Jaffrezic-Renault, P. Clechet (Ecully, France), W. B. Wlodarski (Melbourne, Vic., Australia), N. F. de Rooij and H. H. van den Vlekkert (Neuchâtel, Switzerland)

New ISFET sensitive membranes 385
J. Salardenne, J. Morcos, M. Aït Allal and J. Portier (Talence, France)

Physical and chemical processes in ISFETs with chalcogenide membranes 390
Yu. A. Tarantov, Yu. G. Vlasov, Yu. A. Mesentsev and Y. L. Averyanov (Leningrad, U.S.S.R.)

Multi-ion sensing system based on glass-encapsulated pH-ISFETs and a pseudo-REFET. 395
H. H. van den Vlekkert, N. F. de Rooij, A. van den Berg and A. Grisel (Neuchâtel, Switzerland)

ISFET-based biosensor modeling with SPICE 401
G. Massobrio, M. Grattarola, G. Mattioli and F. Mattioli, Jr. (Genoa, Italy)

Langmuir–Blodgett films of phthalocyaninato–polysiloxane polymers as a novel type of CHEMFET membrane 408
A. Vogel, B. Hoffmann (Karlsruhe, F.R.G.), Th. Sauer and G. Wegner (Mainz, F.R.G.)

Urushi matrix sodium, potassium, calcium and chloride-selective field-effect transistors 412
S.-I. Wakida, M. Yamane, K. Higashi (Osaka, Japan), K. Hiiro (Yamaguchi, Japan) and Y. Ujihira (Tokyo, Japan)

Dynamic behaviour of ISFET-based sensor–actuator systems 416
W. Olthuis, J. Luo, B. H. van der Schoot, J. G. Bomer and P. Bergveld (Enschede, The Netherlands)

An experimental study of instability in inorganic gate ISFETs 421
Chenglie Cui (Beijing, China), P. W. Cheung, S. Yee (Seattle, WA, U.S.A.) and R. Müller (Munich, F.R.G.)

A micro-volume open liquid-junction reference electrode for pH-ISFETs 425
A. van den Berg, A. Grisel, H. H. van den Vlekkert and N. F. de Rooij (Neuchâtel, Switzerland)

An ISFET-based flow injection analysis system for determination of urea: experiment and theory 433
G. K. Chandler, J. R. Dodgson and M. J. Eddowes (Hayes, U.K.)

Lead ion-sensitive membrane for ISFETs 438
M. Battilotti, R. Mercuri, G. Mazzamurro, I. Giannini and M. Giongo (Rome, Italy)

Humidity-sensitive oscillator fabricated in double poly CMOS technology 441
H. Baltes, E. Charbon (Zurich, Switzerland), M. Parameswaran and A. M. Robinson (Edmonton, Alta., Canada)

Monitoring system for chemical characterization of liquid breeder alloys 446
F. de Schutter, Ja. Dekeyser, J. Luyten and H. Tas (Mol, Belgium)

Biosensors

Integrated sensors in biological environments 453
K. Najafi (Ann Arbor, MI, U.S.A.)

Recording neural activity in the honeybee brain with micromachined silicon sensors 460
R. S. Pickard, P. Wall, M. Ubeid (Cardiff, U.K.), G. Ensell and K. H. Leong (Southampton, U.K.)

A planar IrO multichannel stimulating electrode for use in neural prostheses. 464
S. J. Tanghe, K. Najafi and K. D. Wise (Ann Arbor, MI, U.S.A.)

A new type of thin-layer microelectrode for *in vivo* voltammetry: electro-oxidation of dopamine, DOPAC and ascorbic acid. 468
C. Pifl, A. Jachimowicz, G. Urban, F. Kohl, P. Goiser, J. Theiner and G E. Nauer (Vienna, Austira)

Identification capability of odor sensor using quartz-resonator array and neural-network pattern recognition 473
T. Nakamoto, K. Fukunishi and T. Moriizumi (Tokyo, Japan)

Online blood electrolyte monitoring with a ChemFET microcell system. 477
W. Gumbrecht, W. Schelter and B. Montag (Erlangen, F.R.G.), M. Rasinski and U. Pfeiffer (Munich, F.R.G.)

Use of pH-ISFET sensors during extracorporeal circulation 481
N. Chauveau, J. P. Morucci, R. Barthélémy (Toulouse, France), H. H. van den Vlekkert and N. F. de Rooij (Neuchâtel, Switzerland)

Use of ISFETs for 24 h pH monitoring in the gastrooesophageal tract 485
L. Thybaud, C. Depeursinge, D. Rouiller (Lausanne, Switzerland), G. Mondin and A. Grisel (Neuchâtel, Switzerland)

A novel blood glucose monitoring system based on an ISFET biosensor and its application to human 75 g oral glucose tolerance test 488
N. Ito, A. Saito, S. Miyamoto, S. Shinohara, T. Kuriyama, J. Kimura (Kanagawa, Japan), T. Arai, M. Kikuchi, S. Kayashima, N. Nagata and O. Takatani (Saitama, Japan)

Microelectronic skin electrode 491
F. Z. Padmadinata, J. J. Veerhoek, G. J. A. van Dijk and J. H. Huijsing (Delft, The Netherlands)

A micro transmission cell for monitoring of oxygen saturation and hemoglobin concentration 495
W. Schelter, W. Gumbrecht, B. Montag (Erlangen, F.R.G.), J. Bos, E. Eijking and B. Lachmann (Rotterdam, The Netherlands)

Amperometric biosensing of copper(II) ions with an immobilized apoenzyme reactor. 499
I. Satoh, T. Kasahara and N. Goi (Kanagawa-ken, Japan)

Stabilization of an FET glucose sensor with the thermophilic enzyme glucokinase 504
T. Katsube, M. Katoh, H. Maekawa, M. Hara (Urawa, Japan), S. Yamaguchi, N. Uchida and T. Shimomura (Shizuoka, Japan)

Biosensors based on piezoelectric crystals. 508
A. Näbauer, P. Berg, I. Ruge, E. Müller, P. Woias, C. Kösslinger and H. Drobe (Munich, F.R.G.)

Disposable glucose sensor plate and disposable multi-ion sensor plate 510
A. Mochizuki, S. Hirakuni and H. Iida (Gunma, Japan)

An IC-technology compatible automatic method (SCZ method) for immobilization membranes 514
Sun Anna, Cui Li, Zhang Zhihong, Liu Luna and Cheng Keming (Beijing, China)

New microminiaturized glucose sensors using covalent immobilization techniques 518
E. Mann-Buxbaum, F. Pittner, T. Schalkhammer, A. Jachimowicz, G. Jobst, F. Olcaytug and G. Urban (Vienna, Austria)

Performance of a thermal biosensor in organic solvents. 523
B. Danielsson and L. Flygare (Lund, Sweden)

Disposable oxygen electrodes fabricated by semiconductor techniques and their application to biosensors 528
H. Suzuki, N. Kojima, A. Sugama, F. Takei and K. Ikegami (Atsugi, Japan)

Fish scales as biosensors 533
I. Lundström, A. Gustafsson, S. Ödman, J. O. G. Karlsson, R. G. G. Andersson, N. Grundström, H. Sundgren and H. Elwing (Linköping, Sweden)

Polypyrrole, a new possibility for covalent binding of oxidoreductases to electrode surfaces as a base for stable biosensors 537
W. Schuhmann, R. Lammert, B. Uhe and H.-L. Schmidt (Freising-Weihenstephan, F.R.G.)

Fermentation control with biosensors in flow-injection systems: problems and progress 542
U. Prinzing, I. Ogbomo, C. Lehn and H.-L. Schmidt (Freising-Weihenstephan, F.R.G.)

The pH-static enzyme sensor: design of the pH control system. 546
B. H. van der Schoot, H. Voorthuyzen and P. Bergveld (Enschede, The Netherlands)

Multi-analyte microelectronic biosensors 550
B. F. Y. Yon Hin, C. R. Lowe (Cambridge, U.K.) and R. S. Sethi (Towcester, U.K.)

Biosensors for detection of enzymes immobilized in microvolume reaction chambers 555
L. Bousse, G. Kirk and G. Sigal (Menlo Park, CA, U.S.A.)

A biocompatible enzyme electrode for continuous *in vivo* glucose monitoring in whole blood 561
R. F. B. Turner, D. J. Harrison, R. V. Rajotte (Edmonton, Alta., Canada) and H. P. Baltes (Zurich, Switzerland)

Microminiature enzyme sensors for glucose and lactate based on chamber oxygen electrodes 565
B. H. Schneider, M. L. Daroux and O. J. Prohaska (Cleveland, OH, U.S.A.)

Leaching of dimethylferrocene, a redox mediator in amperometric enzyme electrodes 571
W. Schuhmann, H. Wohlschläger, R. Lammert, H.-L. Schmidt (Freising-Weihenstephan, F.R.G.), U. Löffler, H.-D. Wiemhöfer and W. Göpel (Tübingen, F.R.G.)

A direct surface plasmon–polariton immunosensor: preliminary investigation of the non-specific adsorption of serum components to the sensor interface 576
D. C. Cullen and C. R. Lowe (Cambridge, U.K.)

Alternate determination of ATP and NADH with a single bioluminescence-based fiber-optic sensor 580
S. M. Gautier, L. J. Blum and P. R. Coulet (Villeurbanne, France)

Output grating couplers on planar waveguides as integrated optical chemical sensors 585
W. Lukosz, Ph. M. Nellen, Ch. Stamm and P. Weiss (Zurich, Switzerland)

A planar indium phosphate monomode waveguide evanescent field immunosensor. 589
A. N. Sloper, M. T. Flanagan (London, U.K.) and J. K. Deacon (Woking, U.K.)

Integrated optical input grating couplers as chemo- and immunosensors. 592
Ph. M. Nellen and W. Lukosz (Zurich, Switzerland)

Author Index 597

Subject Index 600